

AYASOFYA  
ENERJİ

## ÜRÜN ÖZELLİKLERİ (PRODUCT FEATURES)

Ürün Adı Product Name	Voltaj Voltage	LED Miktarı LED Qty (LED/mt)	Lümen Lumen	Watt Watts	Uzunluk Length
LN510USP70	24V DC	70	540 Lm	4.8* W	100 cm
LN510USP70	24V DC	70	864 Lm	7.2* W	100 cm
LN510USP70	24V DC	70	1.200 Lm	10* W	100 cm
LN510USP70	24V DC	70	1.728 Lm	14.4* W	100 cm
LN510USP70	24V DC	70	2.400-4320 Lm	20-36* W	100 cm
LN510U RGB60	24V DC	60	1 px/mt	4.5-14.4 W	100 cm
LN510U DMX36MN	24V DC	36	6 px/mt	4.5-14.4 W	100 cm
LN510U DMX36TNB	24V DC	72	6 px/mt	4.5-14.4 W	100 cm
LN510U DMX36RGB	24V DC	36	6 px/mt	4.5-14.4 W	100 cm
LN510U DMX36RGBW	24V DC	72	6 px/mt	4.5-14.4 W	100 cm

\*Ürünler standart olarak 14.4 W olarak üretilmektedir. Talep üzerine belirli aralıklarda üretilebilir  
Products are produced as 14.4 W as standard. It can be produced in specific intervals upon request.

## OPSİYONEL ÖZELLİKLER (OPTIONAL FEATURES)

### RENK (COLOR)



### IŞIK AÇISI (LIGHT ANGLE)

120 °


### CONTROL SİSTEMLERİ (CONTROL SYSTEMS)




### POLİMER (POLYMER)



### KESİM ARALIĞI (CUTTING RANGE)



## MONTAJ (MOUNTING)



## AKSESUARLAR (ACCESSORY)



PCB Con.



IP20 Con.



IP67 Soket

## KULLANIM ALANLARI (AREAS OF USAGE)



Dekoratif Aydınlatma  
Decorative Lighting



İç Mekan Aydınlatma  
Indoor Lighting



İç Mekan Aydınlatma  
Indoor Lighting



Dekoratif Aydınlatma  
Decorative Lighting